

## [MS-BCP]: Bulk Copy Format

---

### Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting [iplg@microsoft.com](mailto:iplg@microsoft.com).
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit [www.microsoft.com/trademarks](http://www.microsoft.com/trademarks).
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

**Reservation of Rights.** All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

**Tools.** The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

## Revision Summary

Date	Revision History	Revision Class	Comments
06/04/2010	0.1	Major	First release.
09/03/2010	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
02/09/2011	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
07/07/2011	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
11/03/2011	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
01/19/2012	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
02/23/2012	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
03/27/2012	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
05/24/2012	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
06/29/2012	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
07/16/2012	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
10/08/2012	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
10/23/2012	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
03/26/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
06/11/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
08/08/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
12/05/2013	1.0	No change	No changes to the meaning, language, or formatting of the technical content.
02/11/2014	2.0	Major	Significantly changed the technical content.

Date	Revision History	Revision Class	Comments
05/20/2014	2.0	No change	No changes to the meaning, language, or formatting of the technical content.

# Contents

<b>1 Introduction .....</b>	<b>6</b>
1.1 Glossary .....	6
1.2 References .....	6
1.2.1 Normative References .....	6
1.2.2 Informative References .....	6
1.3 Overview .....	7
1.4 Relationship to Protocols and Other Structures .....	7
1.5 Applicability Statement .....	7
1.6 Versioning and Localization .....	7
1.7 Vendor-Extensible Fields .....	7
<b>2 Structures .....</b>	<b>8</b>
2.1 Data Types .....	8
2.1.1 BigInt .....	8
2.1.2 Binary .....	8
2.1.3 Bit .....	8
2.1.4 Char .....	8
2.1.5 CLRUDT .....	9
2.1.6 Date .....	9
2.1.7 DateTime .....	9
2.1.8 DateTime2 .....	9
2.1.9 DateTimeOffset .....	10
2.1.10 Decimal .....	10
2.1.11 Float .....	10
2.1.12 Image .....	11
2.1.13 Int .....	11
2.1.14 Money .....	11
2.1.15 NChar .....	11
2.1.16 NText .....	11
2.1.17 Numeric .....	12
2.1.18 NVarChar .....	12
2.1.19 Real .....	12
2.1.20 SmallDateTime .....	12
2.1.21 SmallInt .....	13
2.1.22 SmallMoney .....	13
2.1.23 Text .....	13
2.1.24 Time .....	13
2.1.25TimeStamp .....	13
2.1.26 TinyInt .....	14
2.1.27 UniqueIdentifier .....	14
2.1.28 VarBinary .....	14
2.1.29 VarChar .....	14
2.1.30 XML .....	14
2.1.31 NULL Value .....	15
2.1.32 Separators .....	15
2.1.32.1 Field Terminator .....	15
2.1.32.2 Row Terminator .....	15
2.2 BCP Data File .....	15
2.3 BCP Format File .....	16
2.3.1 Schema Elements .....	16

2.3.1.1	BCPFORMAT .....	16
2.3.1.2	RECORD .....	16
2.3.1.3	FIELD .....	16
2.3.1.4	ROW .....	17
2.3.1.5	COLUMN .....	17
2.3.1.5.1	ColumnType .....	18
2.3.1.6	/BCPFORMAT .....	21
2.3.2	Format File XSD Schema .....	21
<b>3</b>	<b>Structure Examples .....</b>	<b>22</b>
3.1	Data File.....	22
3.1.1	BigInt .....	22
3.1.2	Binary .....	22
3.1.3	Bit .....	22
3.1.4	Char .....	23
3.1.5	CLRUDT .....	23
3.1.6	Date .....	23
3.1.7	DateTime .....	23
3.1.8	DateTime2 .....	23
3.1.9	DateTimeOffset .....	24
3.1.10	Decimal .....	24
3.1.11	Float .....	24
3.1.12	Image .....	24
3.1.13	Int .....	25
3.1.14	Money .....	25
3.1.15	NChar .....	25
3.1.16	NText .....	25
3.1.17	Numeric .....	26
3.1.18	NVarChar .....	26
3.1.19	Real .....	26
3.1.20	SmallDateTime .....	26
3.1.21	SmallInt .....	26
3.1.22	SmallMoney .....	27
3.1.23	Sql_Variant .....	27
3.1.24	Text .....	27
3.1.25	Time .....	27
3.1.26	TimeStamp .....	27
3.1.27	TinyInt .....	28
3.1.28	UniqueIdentifier .....	28
3.1.29	VarBinary .....	28
3.1.30	VarChar .....	28
3.1.31	XML .....	29
3.1.32	Field Terminator .....	29
3.1.33	Row Terminator .....	29
3.2	Format File .....	29
<b>4</b>	<b>Security Considerations.....</b>	<b>32</b>
<b>5</b>	<b>Appendix A: Product Behavior.....</b>	<b>33</b>
<b>6</b>	<b>Change Tracking.....</b>	<b>35</b>
<b>7</b>	<b>Index .....</b>	<b>36</b>

# 1 Introduction

The bulk copy (BCP) format is a data structure format that specifies how different database data type values are stored in a data file for the purpose of exporting and importing large sets of values. The BCP format also specifies what each data column represents in a format file for the purpose of interpreting the set of values stored in the corresponding data file.

Sections 1.7 and 2 of this specification are normative and can contain the terms MAY, SHOULD, MUST, MUST NOT, and SHOULD NOT as defined in RFC 2119. All other sections and examples in this specification are informative.

## 1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

**Augmented Backus-Naur Form (ABNF)**  
**globally unique identifier (GUID)**  
**Unicode**  
**Unicode string**

The following terms are specific to this document:

**OCTET:** Any 8-bit value in the range from 0x00 through 0xFF.

**MAY, SHOULD, MUST, SHOULD NOT, MUST NOT:** These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

## 1.2 References

References to Microsoft Open Specifications documentation do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

### 1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact [dochelp@microsoft.com](mailto:dochelp@microsoft.com). We will assist you in finding the relevant information.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC5234] Crocker, D., Ed., and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", STD 68, RFC 5234, January 2008, <http://www.rfc-editor.org/rfc/rfc5234.txt>

[XMLSHEMA1/2] Thompson, H.S., Beech, D., Maloney, M., and Mendelsohn, N., Eds., "XML Schema Part 1: Structures Second Edition", W3C Recommendation, October 2004, <http://www.w3.org/TR/2004/REC-xmleschema-1-20041028/>

### 1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MSDN-BCPU] Microsoft Corporation, "bcp Utility", [http://msdn.microsoft.com/en-us/library/ms162802\(SQL.105\).aspx](http://msdn.microsoft.com/en-us/library/ms162802(SQL.105).aspx)

[MSDN-DTTS] Microsoft Corporation, "Data Types (Transact-SQL)", <http://msdn.microsoft.com/en-us/library/ms187752.aspx>

[MSDN-hierarchyid] Microsoft Corporation, "hierarchyid (Transact-SQL)", <http://msdn.microsoft.com/en-us/library/bb677290.aspx>

[MSDN-SSCN] Microsoft Corporation, "SQL Server Collation Name (Transact-SQL)", <http://msdn.microsoft.com/en-us/library/ms180175.aspx>

[MSDN-SSXFF] Microsoft Corporation, "Schema Syntax for XML Format Files", <http://msdn.microsoft.com/en-us/library/ms189327.aspx>

[MSDN-UUCFIED] Microsoft Corporation, "Use Unicode Character Format to Import or Export Data (SQL Server)", <http://msdn.microsoft.com/en-us/library/ms188289.aspx>

[MSDN-UFFMFC] Microsoft Corporation, "Using a Format File to Map Fields to Columns During Bulk Import", <http://msdn.microsoft.com/en-us/library/ms190396.aspx>

[MSDN-WSDDE] Microsoft Corporation, "Working with Spatial Data (Database Engine)", <http://msdn.microsoft.com/en-us/library/bb933876.aspx>

### 1.3 Overview

The Bulk Copy Format (BCP) is a data structure format that is used to specify how different database server data type values are stored in a file when importing or exporting bulk data to and from the server. This data structure specifies how the bcp.exe utility reads data stored in a file and the identification of that data. For more information, see [\[MSDN-BCPU\]](#).

### 1.4 Relationship to Protocols and Other Structures

The **BCP** structure is independent of any application or network protocol or structures.

### 1.5 Applicability Statement

The **BCP** structure is appropriate for importing or exporting data between two relational database management system (RDMS) instances.

### 1.6 Versioning and Localization

**Structure Versions:** There are no versioning issues for the **BCP** format.

**Localization:** This data structure specifies all values as **Unicode** characters.

### 1.7 Vendor-Extensible Fields

None.

## 2 Structures

### 2.1 Data Types

Detailed data structure representation of each of the database data types is specified in the following subsections.[<1>](#) The data structures are defined in **Augmented Backus-Naur Form (ABNF)** notation [\[RFC5234\]](#). For more information about these database data types, see [\[MSDN-DTTS\]](#).

#### 2.1.1 BigInt

The **BigInt** data type supports a range of values from  $-2^{63}$  (-9,223,372,036,854,775,808) through  $2^{63}-1$  (9,223,372,036,854,775,807). The values of this data type are represented in simple Unicode string format, as follows.

```
BigInt = ["-"]1*19DIGIT
```

#### 2.1.2 Binary

The **Binary** data type is a user-defined fixed number of bytes that has a supported number of bytes that range from 1 through 8000 bytes. The values of this data type are represented in hexadecimal-encoded Unicode string format, as follows.

```
Binary = 32000OCTET
```

For example, 0x56 => "56". Because "56" is in Unicode, the end result is 4 **OCTET** for every binary byte value. The representation does not require the 0x prefix.

#### 2.1.3 Bit

The **Bit** data type is a Boolean that supports 0 or 1 as the data value. The values of this data type are represented in simple Unicode string format, as follows.

```
Bit = "0" / "1"
```

#### 2.1.4 Char

The **Char** data type is a user-defined fixed-length single-byte character string that has a supported number of single byte characters that range from 1 through 8000. If a particular string value does not use the entire user-defined fixed length, the remaining characters are padded with the space character. The values of this data type are represented in simple Unicode string format, as follows.

```
Char = 16000OCTET
```

The single-byte characters are converted to their corresponding Unicode characters.

## 2.1.5 CLRUDT

The **CLRUDT** data type defines a set of custom user-defined types, such as the **hierarchyID** and **Spatial** data types.[2](#) For more information about the **hierarchyID** data type, see [\[MSDN-hierarchyid\]](#). For more information about the **Spatial** data type, see [\[MSDN-WSDDE\]](#).

The values of the **CLRUDT** data types are treated as **VarBinary** values. The values of the **CLRUDT** data type are represented in hexadecimal-encoded Unicode string format, as follows.

```
CLRUDT = 0*nOCTET
```

In this format,  $n = 4 \times (2,147,483,647)$ . The representation does not require the 0x prefix.

## 2.1.6 Date

The **Date** data type[3](#) supports a value range from 0001-01-01 through 9999-12-31. The values of this data type are represented in the Unicode YYYY-MM-DD string format, as follows.

```
Year = ("000"(%x31-39)) / ("00"(%x31-39)DIGIT) / ("0"(%x31-39)2DIGIT)
Year /= ((%x31-39)3DIGIT)
Month = ("0"(%x31-39)) / ("1"("0"/"1"/"2"))
Day = ("0"(%x31-39)) / ((1"/"2")DIGIT) / ("3"("0"/"1"))
Date = Year "-" Month "-" Day
```

## 2.1.7 DateTime

The **DateTime** data type supports a value range from 1753-01-01 00:00:00.000 through 9999-12-31 23:59:59.997. The values of this data type are represented in the Unicode YYYY-MM-DD hh:mm:ss[.nnn] string format, as follows.

```
Year = ("175"(%x33-39)) / ("17"(%x36-39)DIGIT) / ("1"("8"/"9")2DIGIT)
Year /= ((%x32-39)3DIGIT)
Month = ("0"(%x31-39)) / ("1"("0"/"1"/"2"))
Day = ("0"(%x31-39)) / ((1"/"2")DIGIT) / ("3"("0"/"1"))
Hour = ((0"/"1")DIGIT) / ("2"(%x30-33))
MinSec = ":"(%x30-35)DIGIT
DateTime = Year "-" Month "-" Day SP Hour 2MinSec [".." 2DIGIT ("0"/"3"/"7")]
```

## 2.1.8 DateTime2

The **DateTime2** data type[4](#) supports a value range from 0001-01-01 00:00:00.0000000 through 9999-12-31 23:59:59.9999999. The values of this data type are represented in the Unicode YYYY-MM-DD hh:mm:ss[.nnnnnnn] string format, as follows.

```
Year = ("000"(%x31-39)) / ("00"(%x31-39)DIGIT) / ("0"(%x31-39)2DIGIT)
Year /= ((%x31-39)3DIGIT)
Month = ("0"(%x31-39)) / ("1"("0"/"1"/"2"))
Day = ("0"(%x31-39)) / ((1"/"2")DIGIT) / ("3"("0"/"1"))
Hour = ((0"/"1")DIGIT) / ("2"(%x30-33))
```

```

MinSec = ":"(%x30-35)DIGIT
DateTime2 = Year "-" Month "-" Day SP Hour 2MinSec [".." 7DIGIT]

```

## 2.1.9 DateTimeOffset

The **DateTimeOffset** data type<sup><5></sup> supports a value range from 0001-01-01 00:00:00.0000000 through 9999-12-31 23:59:59.9999999 in the Coordinated Universal Time (UTC) time zone. The values of this data type are represented in the Unicode YYYY-MM-DD hh:mm:ss[.nnnnnnn] [{+|-}hh:mm] string format, as follows.

```

Year = ("000"(%x31-39)) / ("00"(%x31-39)DIGIT) / ("0"(%x31-39)2DIGIT)
Year /= ((%x31-39)3DIGIT)
Month = ("0"(%x31-39)) / ("1"("0"/"1"/"2"))
Day = ("0"(%x31-39)) / (((1"/"2")DIGIT) / ("3"("0"/"1")))
Hour = ((0"/"1")DIGIT) / ("2"(%x30-33))
MinSec = ":"(%x30-35)DIGIT
OffsetHour = ("0"("0" / ("1"(%x30-33)))
OffsetMin = ((%x30-35)DIGIT)) / ("14:00")
DateTimeOffset = Year "-" Month "-" Day SP Hour 2MinSec [".." 7DIGIT] [SP ("+/-") OffsetHour
":" OffsetMin]

```

## 2.1.10 Decimal

The **Decimal** data type is functionally equivalent to the [Numeric](#) data type. Both data types support a range of values from  $-10^{38} + 1$  through  $10^{38} - 1$ . The user can specify the data type to have the following values for its **Precision** and **Scale** attributes, as described in the following table.

Data type attribute	Range	Default
<b>Precision</b>	From 1 to 38	18
<b>Scale</b>	From 0 to the <b>Precision</b> that the user sets	0

**Note** Scale is specified as the digits to the right of the decimal point.

The values of this data type are represented in simple Unicode string format, as follows.

```
Decimal = ["-"] 0*38DIGIT [".."0*38DIGIT]
```

## 2.1.11 Float

The **Float** data type supports a value range from -1.79E+308 through -2.23E-308; 0; from 2.23E-308 through 1.79E+308. The values of this data type are represented in simple Unicode string format, as follows.

```
Float = ["-"] 1*16DIGIT[".."16DIGIT] ["e" ("-" / "+") (((0" - "2")2DIGIT) / ("30")(%x30-38))]
```

## 2.1.12 Image

The **Image** data type supports a sequence of bytes that range from 0 through  $2^{31} - 1$  ( $2,147,483,647$ ). The values of this data type are represented in hexadecimal-encoded Unicode string format, as follows.

```
Image = 0*nOCTET
```

In this format,  $n = 4 \times (2,147,483,647)$ . The representation does not require the 0x prefix.

## 2.1.13 Int

The **Int** data type supports a value range from  $-2^{31}$  (- $2,147,483,648$ ) through  $2^{31} - 1$  ( $2,147,483,647$ ). The values of this data type are represented in simple **Unicode string** format, as follows.

```
Int = ["-"]1*10DIGIT
```

## 2.1.14 Money

The **Money** data type supports a value range from -922,337,203,685,447.5808 through 922,337,203,685,477.5807. The values of this data type are represented in simple Unicode string format, as follows.

```
Money = ["-"]1*15DIGIT["."]4DIGIT
```

## 2.1.15 NChar

The **NChar** data type is a user-defined, fixed-length, double-byte character string that has a supported number of double-byte characters that range from 1 through 4000. The values of this data type are represented in simple Unicode string format, as follows.

```
NChar = 2*8000OCTET
```

Because the characters are already in Unicode, there is no conversion.

## 2.1.16 NText

The **NText** data type supports a range of Unicode characters that has a maximum number of storage bytes of  $2^{31} - 2$  ( $2,147,483,646$ ). The values of this data type are represented in simple Unicode string format, as follows.

```
NText = 0*nOCTET
```

In this format,  $n = 2,147,483,646$ . Because the characters are already in Unicode, there is no conversion.

## 2.1.17 Numeric

The **Numeric** data type is functionally equivalent to the [Decimal](#) data type. Both data types support a range of values from  $-10^{38} + 1$  through  $10^{38} - 1$ . The user can specify the data type to have the following values for its **Precision** and **Scale** attributes.

Data type attribute	Range	Default
<b>Precision</b>	From 1 through 38.	18
<b>Scale</b>	From 0 to the <b>Precision</b> that the user sets.	0

The values of this data type are represented in simple Unicode string format, as follows.

```
Numeric = ["-"] 0*38DIGIT ["."]0*38DIGIT]
```

## 2.1.18 NVarChar

The **NVarChar** data type is a user-defined variable-length double-byte character string that has a supported maximum number of double-byte characters that range from 1 through 4000 or "max". "Max" specifies that the data type can store up to  $2^{31} - 2(2,147,483,646)$  bytes' worth of double-byte characters. The values of this data type are represented in simple Unicode string format, as follows.

```
NVarChar = 0*nOCTET
```

In this format,  $n = 2,147,483,646$ . Because the characters are already in Unicode, there is no conversion. If the value is an empty string, the instance data is %x0000.

## 2.1.19 Real

The **Real** data type supports a value range from  $-3.40E+38$  through  $-1.18E-38$ ; 0; from  $1.18E-38$  through  $3.40E+38$ . The values of this data type are represented in simple Unicode string format, as follows.

```
Real = ["-"] 1*7DIGIT["."]7DIGIT["e"("-"/"+") (((0"--2")DIGIT) / ("3")(%x30-38)) ]
```

## 2.1.20 SmallDateTime

The **SmallDateTime** data type supports a value range from 1900-01-01 00:00:00 through 2079-06-06 23:59:59. The values of this data type are represented in the Unicode YYYY-MM-DD hh:mm:ss string format, as follows.

```
Year = ("19"2DIGIT) / ("20"(%x30-36)DIGIT) / ("207"(%x30-39))
Month = ("0"(%x31-39)) / ("1"("0"/"1"/"2"))
Day = ("0"(%x31-39)) / (((1"/"2")DIGIT) / ("3"("0"/"1"))
Hour = ((0"/"1")DIGIT) / ("2"(%x30-33))
Min = (%x30-35)DIGIT
```

```
SmallDateTime = Year "--" Month "--" Day SP Hour ":" Min (:00")
```

### 2.1.21 SmallInt

The **SmallInt** data type supports a value range from  $-2^{15}$  (-32,768) through  $2^{15} - 1$  (32,767). Values of this data type are represented in simple Unicode string format, as follows.

```
SmallInt = ["-"]1*5DIGIT
```

### 2.1.22 SmallMoney

The **SmallMoney** data type supports a value range from -214,748.3648 through 214,748.3647. The values of this data type are represented in simple Unicode string format, as follows.

```
SmallMoney = ["-"]1*6DIGIT[".1*4DIGIT]
```

### 2.1.23 Text

The **Text** data type supports a range of single-type characters that has a maximum number of storage bytes of  $2^{31} - 1$  (2,147,483,647). The values of this data type are represented in simple Unicode string format, as follows.

```
Text = 0*nOCTET
```

In this format,  $n = 2 \times (2^{31} - 1)$  (4,294,967,294). The single-byte characters are converted to their corresponding Unicode characters, therefore doubling the number of OCTET.

### 2.1.24 Time

The **Time** data type<6> is a user-defined variable fractional-second precision data type that has a decimal precision from 0 through 7. This data type supports a value range from 00:00:00.0000000 through 23:59:59.9999999. The values of this data type are represented in the Unicode hh:mm:ss[.nnnnnnn] string format, as follows.

```
Hour = ((0"/1")DIGIT) / (2"(%x30-33))
MinSec = ":"(%x30-35)DIGIT
Time = Hour 2MinSec [".7DIGIT]
```

### 2.1.25 TimeStamp

The **TimeStamp** data type is equivalently represented as the [Binary](#) data type. The values of this data type are represented in hexadecimal-encoded Unicode string format, as follows.

```
TimeStamp = 32OCTET
```

For more details, see section [3.1.2](#).

## 2.1.26 TinyInt

The **TinyInt** data type supports a value range from 0 through 255. The values of this data type are represented in simple Unicode string format, as follows.

```
TinyInt = 1*3DIGIT
```

## 2.1.27 UniqueIdentifier

The **UniqueIdentifier** data type is functionally equivalent to a **globally unique identifier (GUID)**. Values of this data type are represented in simple Unicode string format, as follows.

```
UniqueIdentifier = 8HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 4HEXDIG "-" 12HEXDIG
```

## 2.1.28 VarBinary

The **VarBinary** data type is a user-defined variable number of bytes that has a supported maximum number of bytes that range from 1 through 8000 bytes and "max". "Max" specifies that the data type is able to support up to  $2^{31} - 1$  bytes. The values of this data type are represented in hexadecimal-encoded Unicode string format, as follows.

```
VarBinary = 0*nOCTET
```

In this format,  $n = 4 \times (2,147,483,647)$ .

## 2.1.29 VarChar

The **VarChar** data type is a user-defined variable-length single-byte character string that has a supported maximum number of single-byte characters that range from 1 through 8000 and "max". "Max" specifies that the data type is able to support up to  $2^{31} - 1$  (2,147,483,647) single-byte characters. The values of this data type are represented in simple Unicode string format, as follows.

```
VarChar = 0*nOCTET
```

In this format,  $n = 2 \times (2,147,483,647)$ . The single-byte characters are converted to their corresponding Unicode characters, therefore doubling the number of OCTET that is needed to represent the value.

## 2.1.30 XML

The **XML** data type supports an instance of an XML fragment or a full XML document. This data type supports a maximum number of storage bytes of  $2^{31} - 1$  (2,147,483,647). The values of this data type are represented in simple Unicode string format, as follows.

```
XML = 0*nOCTET
```

In this format,  $n = 2,147,483,647$ .

### 2.1.31 NULL Value

For all supported data types, if the data instance has a value of NULL, the field is empty and is followed by the field terminator or the row terminator. The NULL value can be specified as follows.

```
NULL = 0OCTET
```

### 2.1.32 Separators

#### 2.1.32.1 Field Terminator

The field terminator is used to identify the end of one field value and the start of another field value. Special consideration should be given to ensure that the field terminator does not exist within a field value. The field terminator is an arbitrary set of bytes that are specified by the user. The default value is the tab character (0x09). The values of the field terminator are represented in simple Unicode string format, as follows.

```
FieldTerminator = 1*OCTET
```

#### 2.1.32.2 Row Terminator

The row terminator is used to identify the end of one set of field values and the start of another set of field values. Special consideration should be given to ensure that the row terminator does not exist within a field value and/or the field terminator. The row terminator is an arbitrary set of bytes that are specified by the user. The default value is a newline (carriage return and line feed) character (0x0D0A). The values of the row terminator are represented in simple Unicode string format, as follows.

```
RowTerminator = 1*OCTET
```

## 2.2 BCP Data File

The BCP data file contains the set of data type values that are exported from the database server or imported into the server. The structure of the data file is represented in the following format.

```
Data = BigInt / Binary / Bit / Char / CLRUDT / Date / DateTime / DateTime2  
Data =/ DateTimeOffset / Decimal / Float / Image / Int / Money / NChar / NText  
Data =/ Numeric / NVarChar / Real / SmallDateTime / SmallInt / SmallMoney  
Data =/ Text / Time /TimeStamp / TinyInt / UniqueIdentifier / VarBinary  
Data =/ VarChar / XML / NULL  
Row = *(Data FieldTerminator) Data ;The last Data does not have a FieldTerminator  
DataFile = %xFF %xFE *Row RowTerminator
```

In this format, each repeated Row contains the same set of Data columns.

## 2.3 BCP Format File

The BCP format file is used to specify the actual source column order, name, and data type for the values that are stored in the data file. The format file is an XML document. In addition to specifying the column order, name, and data type, the format file enables a user to bulk import data values from a data file where the number and/or order of the fields in the data file differ from the number and/or order of destination table columns. For more information, see [\[MSDN-UFFMFC\]](#).

The structure of the format file is represented in the following format.

```
<BCPFORMAT ...>
  <RECORD>
    <FIELD ID = "fieldID" xsi:type = "fieldType" [...] />
  </RECORD>
  <ROW>
    <COLUMN SOURCE = "fieldID" NAME = "columnName" xsi:type = "columnType" [...] />
  </ROW>
</BCPFORMAT>
```

The XML elements **FIELD** and **COLUMN** are specified in the following subsections.

### 2.3.1 Schema Elements

This section summarizes the purpose of each element that the XML schema specifies for format files.

#### 2.3.1.1 BCPFORMAT

The **BCPFORMAT** element is the format-file element that specifies the **RECORD** structure of a given data file and its correspondence to the columns of a table row in the table.

#### 2.3.1.2 RECORD

The **RECORD** structure specifies a complex element that contains one or more **FIELD** elements. The order in which the fields are declared in the format file is the order in which those fields appear in the data file.

#### 2.3.1.3 FIELD

The **FIELD** element specifies a field in a data file that contains data.

The attributes of the **FIELD** element are summarized in the following schema syntax.

```
<FIELD
  ID = "fieldID"
  xsi:type = "fieldType"
  TERMINATOR = "terminator"
  [ MAX_LENGTH = "m" ]
  [ COLLATION = "collationName" ]
/>
```

Each **FIELD** element is independent of the others. A field is specified in terms of the following attributes.

<b>FIELD attribute</b>	<b>Description</b>	<b>Optional/required</b>
ID = "fieldID"	This attribute specifies the logical name of the field in the data file. The ID of a field is the key that is used to refer to the field.  <FIELD ID="fieldID"/> maps to <COLUMN SOURCE="fieldID"/>.	Required
xsi:type = "fieldType"	This attribute is an XML construct that identifies the type of the instance of the element. The value of <i>fieldType</i> must be "NCharTerm".	Required
TERMINATOR = "terminator"	This attribute specifies the terminator of a data field. The terminator can be any character. The terminator is recommended to be a unique character that is not part of the data.  By default, the field terminator is the tab character, which is represented as \t\0. A paragraph mark is represented as \r\0\n\0.	Required
MAX_LENGTH = "m"	This attribute is the maximum number of bytes that can be stored in a given field. Without a target table, the column maximum length is not known. The MAX_LENGTH attribute restricts the maximum length of an output character column, limiting the storage that is allocated for the column value.	Optional
COLLATION = "collationName"	This attribute is allowed only for character fields. For a list of the collation names, see <a href="#">[MSDN-SSCN]</a> .	Optional

### 2.3.1.4 ROW

The **ROW** element specifies a complex element that contains one or more **COLUMN** elements. The order of the **COLUMN** elements is independent of the order of **FIELD** elements in a RECORD definition. Rather, the order of the **COLUMN** elements in a format file determines the column order of the resultant rowset. Data fields are loaded in the order in which the corresponding **COLUMN** elements are declared in the **COLUMN** element.

### 2.3.1.5 COLUMN

The **COLUMN** element specifies a column as an element (**COLUMN**). Each **COLUMN** element corresponds to a **FIELD** element. The ID of the **FIELD** element is specified in the **SOURCE** attribute of the **COLUMN** element.

The attributes of the **COLUMN** element are summarized in the following schema syntax.

```
<COLUMN
    SOURCE = "fieldID"
    NAME = "columnName"
    xsi:type = "columnType"
    [ LENGTH = "n" ]
    [ PRECISION = "n" ]
    [ SCALE = "value" ]
    [ NULLABLE = { "YES"
        "NO" } ]
/>
```

A field is mapped to a column in the target table using the attributes that are specified in the following table.

COLUMN attribute	Description	Optional/required
SOURCE = "fieldID"	This attribute specifies the ID of the field being mapped to the column. <code>&lt;COLUMN SOURCE="fieldID"/&gt;</code> maps to <code>&lt;FIELD ID="fieldID"/&gt;</code>	Required
NAME = "columnName"	This attribute specifies the name of the column in the rowset that is represented by the format file. This column name is used to identify the column in the result set, and it need not correspond to the column name that is used in the target table.	Required
xsi:type = "ColumnType"	This attribute is an XML construct that identifies the data type of the instance of the element. The value of <i>ColumnType</i> determines which of the optional attributes are required in a given instance. <b>Note</b> The possible values of <i>ColumnType</i> and their associated attributes are listed in section <a href="#">2.3.1.5.1</a> .	Optional
LENGTH = "n"	This attribute specifies the length for an instance of a fixed-length data type. LENGTH is used only when the <b>xsi:type</b> is a string data type. The value of <i>n</i> must be a positive integer.	Optional (available only if the <b>xsi:type</b> is a string data type)
PRECISION = "n"	This attribute indicates the number of digits in a number. For example, the number 123.45 has a precision of 5. The value of <i>n</i> must be a positive integer.	Optional (available only if the <b>xsi:type</b> is a variable-number data type)
SCALE = "int"	This attribute indicates the number of digits to the right of the decimal point in a number. For example, the number 123.45 has a scale of 2. The value of <i>int</i> must be an integer.	Optional (available only if the <b>xsi:type</b> is a variable-number or variable-scale data type)
NULLABLE = { "YES" "NO" }	This attribute indicates whether a column can assume NULL values. This attribute is completely independent of FIELDS. However, if a column is not NULLABLE, and if the field specifies NULL (by not specifying any value), a run-time error results.	Optional (available for any data type)

### 2.3.1.5.1 ColumnType

The set of *ColumnType* values that are supported by the **xsi:type** attribute value of the **COLUMN** element identifies the database data type of an instance of an element.

The following table describes the mapping between the data type names that are specified in the **xsi:type** attribute of the **COLUMN** element and the database data types.[<7>](#)

COLUMN data type	Database data type
SQLBIGINT	<a href="#">BigInt</a>

COLUMN data type	Database data type
SQLBINARY	<a href="#">Binary/TimeStamp</a>
SQLBIT	<a href="#">Bit</a>
SQLCHAR	<a href="#">Char</a>
SQLDATE	<a href="#">Date</a>
SQLDATETIME	<a href="#">DateTime</a>
SQLDATETIME2	<a href="#">DateTime2</a>
SQLDATETIMEOFFSET	<a href="#">DateTimeOffset</a>
SQLDATETIME4,	<a href="#">SmallDateTime</a>
SQLDECIMAL	<a href="#">Decimal</a>
SQLFLT4	<a href="#">Real</a>
SQLFLT8	<a href="#">Float</a>
SQLIMAGE	<a href="#">Image</a>
SQLINT	<a href="#">Int</a>
SQLMONEY	<a href="#">Money</a>
SQLMONEY4	<a href="#">SmallMoney</a>
SQLNCHAR	<a href="#">NChar</a>
SQLNTEXT	<a href="#">NText</a>
SQLNUMERIC	<a href="#">Numeric</a>
SQLNVARCHAR	<a href="#">NVarChar/XML</a>
SQLSMALLINT	<a href="#">SmallInt</a>
SQLTEXT	<a href="#">Text</a>
SQLTIME	<a href="#">Time</a>
SQLTINYINT	<a href="#">TinyInt</a>
SQLUNIQUEID	<a href="#">UniqueIdentifier</a>
SQLVARYBIN	<a href="#">VarBinary</a>
SQLVARYCHAR	<a href="#">VarChar</a>
SQLUDT	<a href="#">CLRUDT</a>

The **COLUMN** element supports native SQL data types as follows.

Type category	COLUMN data types	Optional XML attribute for data type
Fixed <sup>&lt;8&gt;</sup>	<ul style="list-style-type: none"> <li>▪ SQLBIT</li> <li>▪ SQLTINYINT</li> <li>▪ SQLSMALLINT</li> <li>▪ SQLINT</li> <li>▪ SQLBIGINT</li> <li>▪ SQLFLT4</li> <li>▪ SQLFLT8</li> <li>▪ SQLDATE</li> <li>▪ SQLDATETIME</li> <li>▪ SQLDATETIME4</li> <li>▪ SQLMONEY</li> <li>▪ SQLMONEY4</li> <li>▪ SQLUNIQUEID</li> </ul>	NULLABLE
Variable Scale	<ul style="list-style-type: none"> <li>▪ SQLDATETIME2</li> <li>▪ SQLDATETIMEOFFSET</li> <li>▪ SQLTIME</li> </ul>	NULLABLE, SCALE
Variable Number	<ul style="list-style-type: none"> <li>▪ SQLDECIMAL</li> <li>▪ SQLNUMERIC</li> </ul>	NULLABLE, PRECISION, SCALE
LOB	<ul style="list-style-type: none"> <li>▪ SQLIMAGE</li> <li>▪ SQLTEXT</li> <li>▪ SQLNTEXT</li> <li>▪ SQLUDT</li> </ul>	NULLABLE
Binary string	<ul style="list-style-type: none"> <li>▪ SQLBINARY</li> <li>▪ SQLVARYBIN</li> </ul>	NULLABLE, LENGTH
Character string	<ul style="list-style-type: none"> <li>▪ SQLCHAR</li> <li>▪ SQLVARYCHAR</li> </ul>	NULLABLE, LENGTH

Type category	COLUMN data types	Optional XML attribute for data type
	<ul style="list-style-type: none"> <li>▪ SQLNCHAR</li> <li>▪ SQLNVARCHAR</li> </ul>	

### 2.3.1.6 /BCPFORMAT

The **/BCPFORMAT** element is required to end the format file.

## 2.3.2 Format File XSD Schema

The following XSD schema specifies the XML structure of the format file [\[XMLSCHEMA1/2\]](#).

```

<?xml version="1.0" encoding="utf-8"?>
<xss:schema targetNamespace="http://schemas.microsoft.com/sqlserver/2004/bulkload/format"
  xmlns="http://schemas.microsoft.com/sqlserver/2004/bulkload/format"
  xmlns:xss="http://www.w3.org/2001/XMLSchema" attributeFormDefault="qualified"
  elementFormDefault="qualified">
  <xss:element name="BCPFORMAT">
    <xss:complexType>
      <xss:sequence>
        <xss:element name="RECORD">
          <xss:complexType>
            <xss:sequence>
              <xss:element name="FIELD" minOccurs="0" maxOccurs="unbounded">
                <xss:complexType>
                  <xss:attribute name="ID" form="unqualified" type="xs:string" />
                  <xss:attribute name="TERMINATOR" form="unqualified" type="xs:string" />
                  <xss:attribute name="MAX_LENGTH" form="unqualified" type="xs:string" />
                  <xss:attribute name="COLLATION" form="unqualified" type="xs:string" />
                </xss:complexType>
              </xss:element>
            </xss:sequence>
          </xss:complexType>
        </xss:element>
        <xss:element name="ROW">
          <xss:complexType>
            <xss:sequence>
              <xss:element name="COLUMN" minOccurs="0" maxOccurs="unbounded">
                <xss:complexType>
                  <xss:attribute name="SOURCE" form="unqualified" type="xs:string" />
                  <xss:attribute name="NAME" form="unqualified" type="xs:string" />
                  <xss:attribute name="LENGTH" form="unqualified" type="xs:string" />
                  <xss:attribute name="SCALE" form="unqualified" type="xs:string" />
                  <xss:attribute name="PRECISION" form="unqualified" type="xs:string" />
                  <xss:attribute name="NULLABLE" form="unqualified" type="xs:string" />
                </xss:complexType>
              </xss:element>
            </xss:sequence>
          </xss:complexType>
        </xss:element>
      </xss:sequence>
    </xss:complexType>
  </xss:element>
</xss:schema>

```

## 3 Structure Examples

### 3.1 Data File

The following subsections show an example of a value for each data type as if the value were written in the data file.

#### 3.1.1 BigInt

The sample value is 9,223,372,036,854,775,807.

The file content in hexadecimal mode is as follows.

```
39 00 32 00 32 00 33 00-33 00 37 00 32 00 30 00 *9.2.2.3.3.7.2.0.*  
33 00 36 00 38 00 35 00-34 00 37 00 37 00 35 00 *3.6.8.5.4.7.7.5.*  
38 00 30 00 37 00 *8.0.7.*
```

#### 3.1.2 Binary

The sample value is

0x56006C00610064002000500075006D007000650072006E00690063006B0065006C002C0020006  
2006C006400670020003300.

The file content in hexadecimal mode is as follows.

```
35 00 36 00 30 00 30 00-36 00 43 00 30 00 30 00 *5.6.0.0.6.C.0.0.*  
36 00 31 00 30 00 30 00-36 00 34 00 30 00 30 00 *6.1.0.0.6.4.0.0.*  
32 00 30 00 30 00 30 00-35 00 30 00 30 00 30 00 *2.0.0.0.5.0.0.0.*  
37 00 35 00 30 00 30 00-36 00 44 00 30 00 30 00 *7.5.0.0.6.D.0.0.*  
37 00 30 00 30 00 30 00-36 00 35 00 30 00 30 00 *7.0.0.0.6.5.0.0.*  
37 00 32 00 30 00 30 00-36 00 45 00 30 00 30 00 *7.2.0.0.6.E.0.0.*  
36 00 39 00 30 00 30 00-36 00 33 00 30 00 30 00 *6.9.0.0.6.3.0.0.*  
36 00 42 00 30 00 30 00-36 00 35 00 30 00 30 00 *6.B.0.0.6.5.0.0.*  
36 00 43 00 30 00 30 00-32 00 43 00 30 00 30 00 *6.C.0.0.2.C.0.0.*  
32 00 30 00 30 00 30 00-36 00 32 00 30 00 30 00 *2.0.0.0.6.2.0.0.*  
36 00 43 00 30 00 30 00-36 00 34 00 30 00 30 00 *6.C.0.0.6.4.0.0.*  
36 00 37 00 30 00 30 00-32 00 30 00 30 00 30 00 *6.7.0.0.2.0.0.0.*  
33 00 33 00 30 00 30 00 *3.3.0.0.*
```

#### 3.1.3 Bit

The sample value is 1.

The file content in hexadecimal mode is as follows.

```
31 00 *1.*
```

### **3.1.4 Char**

The sample value is Udo.

The file content in hexadecimal mode is as follows.

```
55 00 64 00 6F 00 20 00-20 00 20 00 20 00 20 00 *U.d.o. . . . .*
20 00 20 00 * . . *
```

### **3.1.5 CLRUDT**

The sample value is 0x58.

The file content in hexadecimal mode is as follows.

```
35 00 38 00 *5.8.*
```

### **3.1.6 Date**

The sample value is 2009-12-30.

The file content in hexadecimal mode is as follows.

```
32 00 30 00 30 00 39 00-2D 00 31 00 32 00 2D 00 *2.0.0.9.-.1.2.-.*
33 00 30 00 *3.0.*
```

### **3.1.7 DateTime**

The sample value is 2009-12-30 13:51:35.437.

The file content in hexadecimal mode is as follows.

```
32 00 30 00 30 00 39 00-2D 00 31 00 32 00 2D 00 *2.0.0.9.-.1.2.-.*
33 00 30 00 20 00 31 00-33 00 3A 00 35 00 31 00 *3.0. .1.3.:5.1.*
```

```
3A 00 33 00 35 00 2E 00-34 00 33 00 37 00 *:.3.5...4.3.7.*
```

### **3.1.8 DateTime2**

The sample value is 2009-12-30 13:51.35.4299569.

The file content in hexadecimal mode is as follows.

```
32 00 30 00 30 00 39 00-2D 00 31 00 32 00 2D 00 *2.0.0.9.-.1.2.-.*
33 00 30 00 20 00 31 00-33 00 3A 00 35 00 31 00 *3.0. .1.3.:5.1.*
```

```
3A 00 33 00 35 00 2E 00-34 00 32 00 39 00 39 00 *:.3.5...4.2.9.9.*
```

```
35 00 36 00 39 00 *5.6.9.*
```

### **3.1.9 DateTimeOffset**

The sample value is 2009-12-30 13:51:35.4299569 -08:00.

The file content in hexadecimal mode is as follows.

```
32 00 30 00 30 00 39 00-2D 00 31 00 32 00 2D 00 *2.0.0.9.-1.2.-.*  
33 00 30 00 20 00 31 00-33 00 3A 00 35 00 31 00 *3.0. .1.3.:5.1.*  
3A 00 33 00 35 00 2E 00-34 00 32 00 39 00 39 00 *:.3.5...4.2.9.9.*  
35 00 36 00 39 00 20 00-2D 00 30 00 38 00 3A 00 *5.6.9. .-0.8.:.*  
30 00 30 00 *0.0.*
```

### **3.1.10 Decimal**

The sample value is 123456.123456780.

The file content in hexadecimal mode is as follows.

```
31 00 32 00 33 00 34 00-35 00 36 00 2E 00 31 00 *1.2.3.4.5.6...1.*  
32 00 33 00 34 00 35 00-36 00 37 00 38 00 30 00 *2.3.4.5.6.7.8.0.*
```

### **3.1.11 Float**

The sample value is 1.23456789E+17.

The file content in hexadecimal mode is as follows.

```
31 00 2E 00 32 00 33 00-34 00 35 00 36 00 37 00 *1...2.3.4.5.6.7.*  
38 00 39 00 45 00 2B 00-31 00 37 00 *8.9.E.+1.7.*
```

### **3.1.12 Image**

The sample value is

0x152593A20466F75722073636F726520616E6420736576656E2079656172732061676F206F75722  
0666174686572732062726F756.

The file content in hexadecimal mode is as follows.

```
31 00 35 00 32 00 35 00-39 00 33 00 41 00 32 00 *1.5.2.5.9.3.A.2.*  
30 00 34 00 36 00 36 00-46 00 37 00 35 00 37 00 *0.4.6.6.F.7.5.7.*  
32 00 32 00 30 00 37 00-33 00 36 00 33 00 36 00 *2.2.0.7.3.6.3.6.*  
46 00 37 00 32 00 36 00-35 00 32 00 30 00 36 00 *F.7.2.6.5.2.0.6.*  
31 00 36 00 45 00 36 00-34 00 32 00 30 00 37 00 *1.6.E.6.4.2.0.7.*  
33 00 36 00 35 00 37 00-36 00 36 00 35 00 36 00 *3.6.5.7.6.6.5.6.*  
45 00 32 00 30 00 37 00-39 00 36 00 35 00 36 00 *E.2.0.7.9.6.5.6.*  
31 00 37 00 32 00 37 00-33 00 32 00 30 00 36 00 *1.7.2.7.3.2.0.6.*  
31 00 36 00 37 00 36 00-46 00 32 00 30 00 36 00 *1.6.7.6.F.2.0.6.*  
46 00 37 00 35 00 37 00-32 00 32 00 30 00 36 00 *F.7.5.7.2.2.0.6.*  
36 00 36 00 31 00 37 00-34 00 36 00 38 00 36 00 *6.6.1.7.4.6.8.6.*  
35 00 37 00 32 00 37 00-33 00 32 00 30 00 36 00 *5.7.2.7.3.2.0.6.*
```

```
32 00 37 00 32 00 36 00-46 00 37 00 35 00 36 00 *2.7.2.6.F.7.5.6.*
```

### 3.1.13 Int

The sample value is 2147483647.

The file content in hexadecimal mode is as follows.

```
32 00 31 00 34 00 37 00-34 00 38 00 33 00 36 00 *2.1.4.7.4.8.3.6.*  
34 00 37 00 *4.7.*
```

### 3.1.14 Money

The sample value is 922337203685477.0100.

The file content in hexadecimal mode is as follows.

```
39 00 32 00 32 00 33 00-33 00 37 00 32 00 30 00 *9.2.2.3.3.7.2.0.*  
33 00 36 00 38 00 35 00-34 00 37 00 37 00 2E 00 *3.6.8.5.4.7.7...*  
30 00 31 00 30 00 30 00 *0.1.0.0.*
```

### 3.1.15 NChar

The sample value is あビボぶ左州見.

The file content in hexadecimal mode is as follows.

```
42 30 D4 30 DD 30 76 30-E6 5D DE 5D 0A FA 20 00 *B0.0.0v0.].]... .*  
20 00 20 00 * . . *
```

### 3.1.16 NText

The sample value is "When in the Course of human events, it becomes necessary for one".

The file content in hexadecimal mode is as follows.

```
57 00 68 00 65 00 6E 00-20 00 69 00 6E 00 20 00 *W.h.e.n. .i.n. .*  
74 00 68 00 65 00 20 00-43 00 6F 00 75 00 72 00 *t.h.e. .C.o.u.r.*  
73 00 65 00 20 00 6F 00-66 00 20 00 68 00 75 00 *s.e. .o.f. .h.u.*  
6D 00 61 00 6E 00 20 00-65 00 76 00 65 00 6E 00 *m.a.n. .e.v.e.n.*  
74 00 73 00 2C 00 20 00-69 00 74 00 20 00 62 00 *t.s.,. .i.t. .b.*  
65 00 63 00 6F 00 6D 00-65 00 73 00 20 00 6E 00 *e.c.o.m.e.s. .n.*  
65 00 63 00 65 00 73 00-73 00 61 00 72 00 79 00 *e.c.e.s.s.a.r.y.*  
20 00 66 00 6F 00 72 00-20 00 6F 00 6E 00 65 00 * .f.o.r. .o.n.e.*
```

### **3.1.17 Numeric**

The sample value is 1234567890.12345678.

The file content in hexadecimal mode is as follows.

```
31 00 32 00 33 00 34 00-35 00 36 00 37 00 38 00 *1.2.3.4.5.6.7.8.*  
39 00 30 00 2E 00 31 00-32 00 33 00 34 00 35 00 *9.0...1.2.3.4.5.*  
36 00 37 00 38 00 *6.7.8.*
```

### **3.1.18 NVarChar**

The sample value is あピボ.ぶ左州見.

The file content in hexadecimal mode is as follows.

```
42 30 D4 30 DD 30 76 30-E6 5D DE 5D 0A FA 20 00 *B0.0.0v0.].]..*
```

### **3.1.19 Real**

The sample value is -1.1234568.

The file content in hexadecimal mode is as follows.

```
2D 00 31 00 2E 00 31 00-32 00 33 00 34 00 35 00 *-.1...1.2.3.4.5.*  
36 00 38 00 *6.8.*
```

### **3.1.20 SmallDateTime**

The sample value is 2009-12-30 13:52:00.

The file content in hexadecimal mode is as follows.

```
32 00 30 00 30 00 39 00-2D 00 31 00 32 00 2D 00 *2.0.0.9.-.1.2.-.*  
33 00 30 00 20 00 31 00-33 00 3A 00 35 00 32 00 *3.0. .1.3.:5.2.*  
3A 00 30 00 30 00 *:.0.0.*
```

### **3.1.21 SmallInt**

The sample value is -32768.

The file content in hexadecimal mode is as follows.

```
2D 00 33 00 32 00 37 00-36 00 38 00 *-.3.2.7.6.8.*
```

### **3.1.22 SmallMoney**

The sample value is 214748.3647.

The file content in hexadecimal mode is as follows.

```
32 00 31 00 34 00 37 00-34 00 38 00 2E 00 33 00 *2.1.4.7.4.8...3.*  
36 00 34 00 37 00 *6.4.7.*
```

### **3.1.23 Sql\_Variant**

The sample value is 123.456789.

The file content in hexadecimal mode is as follows.

```
31 00 32 00 33 00 2E 00-34 00 35 00 36 00 37 00 *1.2.3...4.5.6.7.*  
38 00 39 00 *8.9.*
```

### **3.1.24 Text**

The sample value is "people to dissolve the political bands which have connected them".

The file content in hexadecimal mode is as follows.

```
70 00 65 00 6F 00 70 00-6C 00 65 00 20 00 74 00 *p.e.o.p.l.e. .t.*  
6F 00 20 00 64 00 69 00-73 00 73 00 6F 00 6C 00 *o. .d.i.s.s.o.l.*  
76 00 65 00 20 00 74 00-68 00 65 00 20 00 70 00 *v.e. .t.h.e. .p.*  
6F 00 6C 00 69 00 74 00-69 00 63 00 61 00 6C 00 *o.l.i.t.i.c.a.l.*  
20 00 62 00 61 00 6E 00-64 00 73 00 20 00 77 00 *.b.a.n.d.s. .w.*  
68 00 69 00 63 00 68 00-20 00 68 00 61 00 76 00 *h.i.c.h. .h.a.v.*  
65 00 20 00 63 00 6F 00-6E 00 6E 00 65 00 63 00 *e. .c.o.n.n.e.c.*  
74 00 65 00 64 00 20 00-74 00 68 00 65 00 6D 00 *t.e.d. .t.h.e.m.*
```

### **3.1.25 Time**

The sample value is 11:30:32.1234000.

The file content in hexadecimal mode is as follows.

```
31 00 31 00 3A 00 33 00-30 00 3A 00 33 00 32 00 *1.1.:3.0.:3.2.*  
2E 00 31 00 32 00 33 00-34 00 30 00 30 00 30 00 *..1.2.3.4.0.0.0.*
```

### **3.1.26 TimeStamp**

The sample value is 0x0000000000000007D1.

The file content in hexadecimal mode is as follows.

```
30 00 30 00 30 00 30 00-30 00 30 00 30 00 30 00 *0.0.0.0.0.0.0.0.*  
30 00 30 00 30 00 30 00-30 00 37 00 44 00 31 00 *0.0.0.0.0.7.D.1.*
```

### 3.1.27 TinyInt

The sample value is 127.

The file content in hexadecimal mode is as follows.

```
31 00 32 00 37 00 *1.2.7.*
```

### 3.1.28 UniqueIdentifier

The sample value is 65DD4051-C7FE-4CB8-954D-0B1967468D3E.

The file content in hexadecimal mode is as follows.

```
36 00 35 00 44 00 44 00-34 00 30 00 35 00 31 00 *6.5.D.D.4.0.5.1.*  
2D 00 43 00 37 00 46 00-45 00 2D 00 34 00 43 00 *-.C.7.F.E.-.4.C.*  
42 00 38 00 2D 00 39 00-35 00 34 00 44 00 2D 00 *B.8.-.9.5.4.D.-.*  
30 00 42 00 31 00 39 00-36 00 38 00 34 00 36 00 *0.B.1.9.6.8.4.6.*  
38 00 44 00 33 00 45 00 *8.D.3.E.*
```

### 3.1.29 VarBinary

The sample value is  
0x86520717569636B2062726F776E20666F78206A756D706564206F76657220746865206C617A79  
206.

The file content in hexadecimal mode is as follows.

```
38 00 36 00 35 00 32 00-30 00 37 00 31 00 37 00 *8.6.5.2.0.7.1.7.*  
35 00 36 00 39 00 36 00-33 00 36 00 42 00 32 00 *5.6.9.6.3.6.B.2.*  
30 00 36 00 32 00 37 00-32 00 36 00 46 00 37 00 *0.6.2.7.2.6.F.7.*  
37 00 36 00 45 00 32 00-30 00 36 00 36 00 36 00 *7.6.E.2.0.6.6.6.*  
46 00 37 00 38 00 32 00-30 00 36 00 41 00 37 00 *F.7.8.2.0.6.A.7.*  
35 00 36 00 44 00 37 00-30 00 36 00 35 00 36 00 *5.6.D.7.0.6.5.6.*  
34 00 32 00 30 00 36 00-46 00 37 00 36 00 36 00 *4.2.0.6.F.7.6.6.*  
35 00 37 00 32 00 32 00-30 00 37 00 34 00 36 00 *5.7.2.2.0.7.4.6.*  
38 00 36 00 35 00 32 00-30 00 36 00 43 00 36 00 *8.6.5.2.0.6.C.6.*  
31 00 37 00 41 00 37 00-39 00 32 00 30 00 36 00 *1.7.A.7.9.2.0.6.*
```

### 3.1.30 VarChar

The sample value is "The quick brown fox jumped over the lazy dog."

The file content in hexadecimal mode is as follows.

```

54 00 68 00 65 00 20 00-71 00 75 00 69 00 63 00 *T.h.e. .q.u.i.c.*
6B 00 20 00 62 00 72 00-6F 00 77 00 6E 00 20 00 *k. .b.r.o.w.n. .*
66 00 6F 00 78 00 20 00-6A 00 75 00 6D 00 70 00 *f.o.x. .j.u.m.p.*
65 00 64 00 20 00 6F 00-76 00 65 00 72 00 20 00 *e.d. .o.v.e.r. .*
74 00 68 00 65 00 20 00-6C 00 61 00 7A 00 79 00 *t.h.e. .l.a.z.y.*
20 00 64 00 6F 00 67 00-2E 00 * .d.o.g....*

```

### 3.1.31 XML

The sample value is "<Element>nothing to report...</Element>".

The file content in hexadecimal mode is as follows.

```

3C 00 45 00 6C 00 65 00-6D 00 65 00 6E 00 74 00 *<.E.l.e.m.e.n.t.* 
3E 00 6E 00 6F 00 74 00-68 00 69 00 6E 00 67 00 *>.n.o.t.h.i.n.g.* 
20 00 74 00 6F 00 20 00-72 00 65 00 70 00 6F 00 *.t.o. .r.e.p.o.* 
72 00 74 00 2E 00 2E 00-2E 00 3C 00 2F 00 45 00 *r.t.....<./E.* 
6C 00 65 00 6D 00 65 00-6E 00 74 00 3E 00 *l.e.m.e.n.t.>.* 

```

### 3.1.32 Field Terminator

The sample value is ;;.

The file content in hexadecimal mode is as follows.

```
3B 00 3B 00 *;;.*
```

### 3.1.33 Row Terminator

The sample value is ==.

The file content in hexadecimal mode is as follows.

```
3D 00 3D 00 *=.=.*
```

## 3.2 Format File

The sample value is as follows.

```

<?xml version="1.0"?>
<BCPFORMAT xmlns="http://schemas.microsoft.com/sqlserver/2004/bulkload/format"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<RECORD>
<FIELD ID="1" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="42"/>
<FIELD ID="2" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="202"/>
<FIELD ID="3" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="6"/>

```

```

<FIELD ID="4" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="20"
COLLATION="SQL_Latin1_General_CI_AS"/>
<FIELD ID="5" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="22"/>
<FIELD ID="6" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="48"/>
<FIELD ID="7" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="60"/>
<FIELD ID="8" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="74"/>
<FIELD ID="9" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="82"/>
<FIELD ID="10" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="60"/>
<FIELD ID="11" xsi:type="NCharTerm" TERMINATOR="\t\0"/>
<FIELD ID="12" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="24"/>
<FIELD ID="13" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="60"/>
<FIELD ID="14" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="20"
COLLATION="SQL_Latin1_General_CI_AS"/>
<FIELD ID="15" xsi:type="NCharTerm" TERMINATOR="\t\0"
COLLATION="SQL_Latin1_General_CI_AS"/>
<FIELD ID="16" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="82"/>
<FIELD ID="17" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="100"
COLLATION="SQL_Latin1_General_CI_AS"/>
<FIELD ID="18" xsi:type="NCharTerm" TERMINATOR="\t\0"
COLLATION="SQL_Latin1_General_CI_AS"/>
<FIELD ID="19" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="60"/>
<FIELD ID="20" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="48"/>
<FIELD ID="21" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="14"/>
<FIELD ID="22" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="60"/>
<FIELD ID="23" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="8000"/>
<FIELD ID="24" xsi:type="NCharTerm" TERMINATOR="\t\0"
COLLATION="SQL_Latin1_General_CI_AS"/>
<FIELD ID="25" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="38"/>
<FIELD ID="26" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="34"/>
<FIELD ID="27" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="10"/>
<FIELD ID="28" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="74"/>
<FIELD ID="29" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="202"/>
<FIELD ID="30" xsi:type="NCharTerm" TERMINATOR="\t\0"/>
<FIELD ID="31" xsi:type="NCharTerm" TERMINATOR="\t\0" MAX_LENGTH="100"
COLLATION="SQL_Latin1_General_CI_AS"/>
<FIELD ID="32" xsi:type="NCharTerm" TERMINATOR="\t\0"
COLLATION="SQL_Latin1_General_CI_AS"/>
<FIELD ID="33" xsi:type="NCharTerm" TERMINATOR="\t\0"/>
<FIELD ID="34" xsi:type="NCharTerm" TERMINATOR="\r\0\n\0"/> </RECORD>
<ROW>
<COLUMN SOURCE="1" NAME="col_bigint" xsi:type="SQLBIGINT"/>
<COLUMN SOURCE="2" NAME="col_binary50" xsi:type="SQLBINARY"/>
<COLUMN SOURCE="3" NAME="col_bit" xsi:type="SQLBIT"/>
<COLUMN SOURCE="4" NAME="col_char10" xsi:type="SQLCHAR"/>
<COLUMN SOURCE="5" NAME="col_date" xsi:type="SQLDATE"/>
<COLUMN SOURCE="6" NAME="col_datetime" xsi:type="SQLDATETIME"/>
<COLUMN SOURCE="7" NAME="col_datetime2" xsi:type="SQLDATETIME2" SCALE="7"/>
<COLUMN SOURCE="8" NAME="col_datetimeoffset" xsi:type="SQLDATETIMEOFFSET" SCALE="7"/>
<COLUMN SOURCE="9" NAME="col_decimal" xsi:type="SQLDECIMAL" PRECISION="18" SCALE="9"/>
<COLUMN SOURCE="10" NAME="col_float" xsi:type="SQLFLT8"/>
<COLUMN SOURCE="11" NAME="col_image" xsi:type="SQLIMAGE"/>
<COLUMN SOURCE="12" NAME="col_int" xsi:type="SQLINT"/>
<COLUMN SOURCE="13" NAME="col_money" xsi:type="SQLMONEY"/>
<COLUMN SOURCE="14" NAME="col_nchar10" xsi:type="SQLNCHAR"/>
<COLUMN SOURCE="15" NAME="col_ntext" xsi:type="SQLNCHAR"/>
<COLUMN SOURCE="16" NAME="col_numeric" xsi:type="SQLNUMERIC" PRECISION="18" SCALE="8"/>
<COLUMN SOURCE="17" NAME="col_nvarchar50" xsi:type="SQLNVARCHAR"/>
<COLUMN SOURCE="18" NAME="col_nvarcharmax" xsi:type="SQLNVARCHAR"/>
<COLUMN SOURCE="19" NAME="col_real" xsi:type="SQLFLT4"/>
<COLUMN SOURCE="20" NAME="col_smalldatetime" xsi:type="SQLDATETIME4"/>

```

```
<COLUMN SOURCE="21" NAME="col_smallint" xsi:type="SQLSMALLINT"/>
<COLUMN SOURCE="22" NAME="col_smallmoney" xsi:type="SQLMONEY4"/>
<COLUMN SOURCE="23" NAME="col_variant" xsi:type="SQLVARIANT"/>
<COLUMN SOURCE="24" NAME="col_text" xsi:type="SQLCHAR"/>
<COLUMN SOURCE="25" NAME="col_time" xsi:type="SQLTIME" SCALE="7"/>
<COLUMN SOURCE="26" NAME="col_timestamp" xsi:type="SQLBINARY"/>
<COLUMN SOURCE="27" NAME="col_tinyint" xsi:type="SQLTINYINT"/>
<COLUMN SOURCE="28" NAME="col_uuid" xsi:type="SQLUNIQUEID"/>
<COLUMN SOURCE="29" NAME="col_varbinary50" xsi:type="SQLVARYBIN"/>
<COLUMN SOURCE="30" NAME="col_varbinarymax" xsi:type="SQLVARYBIN"/>
<COLUMN SOURCE="31" NAME="col_varchar50" xsi:type="SQLVARYCHAR"/>
<COLUMN SOURCE="32" NAME="col_varcharmax" xsi:type="SQLVARYCHAR"/>
<COLUMN SOURCE="33" NAME="col_xml" xsi:type="SQLNVARCHAR"/>
<COLUMN SOURCE="34" NAME="col_hierarchy" xsi:type="SQLUDT"/>
</ROW>
</BCPFORMAT>
```

## **4 Security Considerations**

None.

## 5 Appendix A: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft SQL Server 2000
- Microsoft SQL Server 2005
- Microsoft SQL Server 2008
- Microsoft SQL Server 2008 R2
- Microsoft SQL Server 2012
- Microsoft SQL Server 2014

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

**<1> Section 2.1:** Microsoft implementations include the **Sql\_Variant** data type, which is a special data type definition that supports different data types for each instance of the value. The following data types are supported:

- [BigInt](#)
- [Binary](#)
- [Bit](#)
- [Char](#)
- [Date](#)
- [DateTime](#)
- [DateTime2](#)
- [DateTimeOffset](#)
- [Decimal](#)
- [Float](#)
- [Int](#)
- [Money](#)
- [NChar](#)
- [Numeric](#)

- [NVarChar](#)
- [Real](#)
- [SmallDateTime](#)
- [SmallInt](#)
- [SmallMoney](#)
- [Time](#)
- [TinyInt](#)
- [UniqueIdentifier](#)
- [VarBinary](#)
- [VarChar](#)

[\*\*<2> Section 2.1.5:\*\*](#) Customer user-defined types are written in the .NET Framework. The **hierarchyID** and **Spatial** data types are not supported by SQL Server 2000 and SQL Server 2005.

[\*\*<3> Section 2.1.6:\*\*](#) The **Date** data type is not supported by SQL Server 2000 and SQL Server 2005.

[\*\*<4> Section 2.1.8:\*\*](#) The **DateTime2** data type is not supported by SQL Server 2000 and SQL Server 2005.

[\*\*<5> Section 2.1.9:\*\*](#) The **DateTimeOffset** data type is not supported by SQL Server 2000 and SQL Server 2005.

[\*\*<6> Section 2.1.24:\*\*](#) The **Time** data type is not supported by SQL Server 2000 and SQL Server 2005.

[\*\*<7> Section 2.3.1.5.1:\*\*](#) In addition to the **COLUMN** data types listed in the table, SQL Server supports a data type named SQLVARIANT. The database data type of SQLVARIANT is [Sql Variant](#).

[\*\*<8> Section 2.3.1.5.1:\*\*](#) In addition to the **COLUMN** data types listed here, SQL Server supports the SQLVARIANT data type.

## 6 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

## 7 Index

- [/BCPFORMAT element](#) 21
- A**
  - [applicability](#) 7
- B**
  - [BCPFORMAT element](#) 16
  - [BigInt data file](#) 22
  - [BigInt data type](#) 8
  - [Binary data file](#) 22
  - [Binary data type](#) 8
  - [Bit data file](#) 22
  - [Bit data type](#) 8
- C**
  - [Change tracking](#) 35
  - [Char data file](#) 23
  - [Char data type](#) 8
  - [CLRUDT data file](#) 23
  - [CLRUDT data type](#) 9
  - [COLUMN element](#) 17
  - [ColumnType values](#) 18
- D**
  - [data file overview](#) 15
  - [data types overview](#) 8
  - [Date data file](#) 23
  - [Date data type](#) 9
  - [DateTime data file](#) 23
  - [DateTime data type](#) 9
  - [DateTime2 data file](#) 23
  - [DateTime2 data type](#) 9
  - [DateTimeOffset data file](#) 24
  - [DateTimeOffset data type](#) 10
  - [Decimal data file](#) 24
  - [Decimal data type](#) 10
- F**
  - [FIELD element](#) 16
  - [field terminator](#) 15
  - [Field Terminator data file](#) 29
  - [Float data file](#) 24
  - [Float data type](#) 10
  - [format file overview](#) 16
  - [format file XSD schema](#) 21
- G**
  - [glossary](#) 6
- I**
  - [Image data file](#) 24
  - [Image data type](#) 11
- L**
  - [localization](#) 7
- M**
  - [Money data file](#) 25
  - [Money data type](#) 11
- N**
  - [NChar data file](#) 25
  - [NChar data type](#) 11
  - [Normative references](#) 6
  - [NText data file](#) 25
  - [NText data type](#) 11
  - [NULL data value](#) 15
  - [Numeric data file](#) 26
  - [Numeric data type](#) 12
  - [NVarChar data file](#) 26
  - [NVarChar data type](#) 12
- O**
  - other structures
    - [relationship to](#) 7
    - [overview](#) 7
- P**
  - protocols
    - [relationship to](#) 7
- R**
  - [Real data file](#) 26
  - [Real data type](#) 12
  - [RECORD structure](#) 16
  - References
    - [informative](#) 6
    - [normative](#) 6
  - [ROW element](#) 17
  - [Row Terminator data file](#) 29
  - [row terminator overview](#) 15
- S**
  - [Small Money data file](#) 27
  - [SmallDateTime data file](#) 26
  - [SmallDateTime data type](#) 12
  - [SmallInt data file](#) 26
  - [SmallInt data type](#) 13
  - [SmallMoney data type](#) 13
  - [Sql Variant data file](#) 27

## T

[Text data file](#) 27  
[Text data type](#) 13  
[Time data file](#) 27  
[Time data type](#) 13  
[TimeStamp data file](#) 27  
[TimeStamp data type](#) 13  
[TinyInt data file](#) 28  
[TinyInt data type](#) 14  
[Tracking changes](#) 35

## U

[UniqueIdentifier data file](#) 28  
[UniqueIdentifier data type](#) 14

## V

[VarBinary data file](#) 28  
[VarBinary data type](#) 14  
[VarChar data file](#) 28  
[VarChar data type](#) 14  
[versioning](#) 7

## X

[XML data file](#) 29  
[XML data type](#) 14  
XSD schema  
    [format file](#) 21