

[MS-DTSX2]: Data Transformation Services Package XML Version 2 File Format

This topic lists the Errata found in [MS-DTSX2] since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.

Errata are subject to the same terms as the Open Specifications documentation referenced.



Errata below are for Protocol Document Version [V2.0 - 2014/05/20](#).

Errata Published*	Description								
2014/12/22	<p>In Section 2.4, ExecutableTypePackage, added a description of the PackageParameters element to the table as follows:</p> <table border="1" data-bbox="402 699 1414 947"> <thead> <tr> <th data-bbox="402 699 651 758">Element</th> <th data-bbox="651 699 808 758">Constraints</th> <th data-bbox="808 699 1084 758">Type definition</th> <th data-bbox="1084 699 1414 758">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="402 758 651 947">PackageParameters</td> <td data-bbox="651 758 808 947">None</td> <td data-bbox="808 758 1084 947">PackageParametersType</td> <td data-bbox="1084 758 1414 947">Specifies a collection of elements of type PackageParameterType. Each such element defines a package parameter that is available to the package.</td> </tr> </tbody> </table>	Element	Constraints	Type definition	Description	PackageParameters	None	PackageParametersType	Specifies a collection of elements of type PackageParameterType . Each such element defines a package parameter that is available to the package.
Element	Constraints	Type definition	Description						
PackageParameters	None	PackageParametersType	Specifies a collection of elements of type PackageParameterType . Each such element defines a package parameter that is available to the package.						
2014/12/22	<p>In Section 2.4.4.1.2.1.1, ConnectionManagerConnectionManagerAttributeGroup, corrected the description of the UseEncryption attribute as follows:</p> <p>Changed from:</p> <p>A value of type DTS:BooleanStringCap that specifies whether to use encryption for data access.</p> <p>"True" specifies not to use encryption for data access. "False" specifies to use encryption for data access.</p> <p>Changed to:</p> <p>A value of type DTS:BooleanStringCap that specifies whether to use encryption for data access.</p> <p>"True" specifies to use encryption for data access. "False" specifies not to use encryption for data access.</p>								
2014/12/22	<p>In Section 2.4.4.1.2.1.5.2, HttpConnectionAttributeGroup, added a description of the Certificate enumeration value to the table as follows:</p> <table border="1" data-bbox="402 1591 1414 1759"> <thead> <tr> <th data-bbox="402 1591 641 1675">Enumeration value</th> <th data-bbox="641 1591 1414 1675">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="402 1675 641 1759">Certificate</td> <td data-bbox="641 1675 1414 1759">A string that specifies the client certificate to the HTTP server in base64.</td> </tr> </tbody> </table>	Enumeration value	Description	Certificate	A string that specifies the client certificate to the HTTP server in base64.				
Enumeration value	Description								
Certificate	A string that specifies the client certificate to the HTTP server in base64.								

Errata Published*	Description								
2014/12/22	<p>In Section 2.7.1.1.1.5, PipelineComponentComponentClassIDEnum, updated the schema for SQL Server Compact Destination and for Raw File Destination.</p> <p>Changed from:</p> <pre data-bbox="435 415 1409 489"><!--Script Component, ADO.Net source, XML Source,ADO.Net Destination, DataReader Destination, SQL ServerCompact Destination--></pre> <p>Changed to:</p> <pre data-bbox="435 636 1409 709"><!--Script Component, ADO.Net source, XML Source,ADO.Net Destination, DataReader Destination, SQL Server Compact Destination--></pre> <p>Changed from:</p> <pre data-bbox="435 825 651 846"><!--Raw File--></pre> <p>Changed to:</p> <pre data-bbox="435 951 824 972"><!--Raw File Destination--></pre> <p>In the table in this section, added the Raw File Destination Component enumeration value and description, and removed individual row enumeration value entries for ADO.Net Destination Component and SQL Server Compact Edition Destination Component.</p> <p>Note ADO.Net Destination Component and SQL Server Compact Destination Component remain in the description for enumeration value {874F7595-FB5F-40FF-96AF-FBFF8250E3EF}.</p> <table border="1" data-bbox="402 1245 1414 1707"> <thead> <tr> <th data-bbox="402 1245 922 1308">Enumeration value</th> <th data-bbox="922 1245 1414 1308">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="402 1308 922 1560">{874F7595-FB5F-40FF-96AF-FBFF8250E3EF}<60></td> <td data-bbox="922 1308 1414 1560"> <ul style="list-style-type: none"> ▪ Script Component ▪ ADO.Net Source Component ▪ XML Source Component ▪ ADO.Net Destination Component ▪ DataReader Destination Component ▪ SQL Server Compact Destination Component </td> </tr> <tr> <td data-bbox="402 1560 922 1623">...</td> <td data-bbox="922 1560 1414 1623">...</td> </tr> <tr> <td data-bbox="402 1623 922 1707">{04762BB6-892F-4EE6-AD46-9CEB0A7EC7A2}</td> <td data-bbox="922 1623 1414 1707">Raw File Destination Component</td> </tr> </tbody> </table>	Enumeration value	Description	{874F7595-FB5F-40FF-96AF-FBFF8250E3EF}<60>	<ul style="list-style-type: none"> ▪ Script Component ▪ ADO.Net Source Component ▪ XML Source Component ▪ ADO.Net Destination Component ▪ DataReader Destination Component ▪ SQL Server Compact Destination Component 	{04762BB6-892F-4EE6-AD46-9CEB0A7EC7A2}	Raw File Destination Component
Enumeration value	Description								
{874F7595-FB5F-40FF-96AF-FBFF8250E3EF}<60>	<ul style="list-style-type: none"> ▪ Script Component ▪ ADO.Net Source Component ▪ XML Source Component ▪ ADO.Net Destination Component ▪ DataReader Destination Component ▪ SQL Server Compact Destination Component 								
...	...								
{04762BB6-892F-4EE6-AD46-9CEB0A7EC7A2}	Raw File Destination Component								
2014/12/22	In Section 2.7.1.1.2.1, PipelinePathType, added the id attribute to the schema as follows:								

Errata Published*	Description				
	<pre><xs:attribute name="id" type="xs:int" form="unqualified"/></pre>				
2014/12/22	In Sections 2.7.1.11.1.1.1, <code>SqlTaskDataType</code> , and 5.8, <code>SQLTask XSD</code> , removed the <code>TSQLExecuteTaskAttributeGroup</code> attribute group from the schema.				
2014/12/22	<p>In Section 2.7.1.11.1.1.1.10.5, <code>BackupCompressionActionEnum</code>, updated the schema.</p> <p>Changed from:</p> <pre><xs:simpleType name="BackupActionForExistingBackupsEnum"> <xs:restriction base="xs:int"> <xs:minInclusive value="0"/> <xs:maxInclusive value="1"/> </xs:restriction> </xs:simpleType></pre> <p>Changed to:</p> <pre><xs:simpleType name="BackupCompressionActionEnum"> <xs:restriction base="xs:int"> <xs:minInclusive value="0"/> <xs:maxInclusive value="2"/> </xs:restriction> </xs:simpleType></pre>				
2014/12/22	<p>In Section 2.7.1.26.1, <code>XMLTaskOperationTypeEnum</code>, updated the simpleType name in the schema.</p> <p>Changed from:</p> <pre><xs:simpleType name="XMLTaskDataOperationTypeEnum"></pre> <p>Changed to:</p> <pre><xs:simpleType name="XMLTaskOperationTypeEnum"></pre>				
2014/12/22	<p>In Section 2.9.2, <code>BaseExecutablePropertyAttributeGroup</code>, added a description of the <code>ExecValueType</code> attribute to the table as follows:</p> <table border="1" data-bbox="402 1472 1414 1619"> <thead> <tr> <th data-bbox="402 1472 597 1528">Attribute</th> <th data-bbox="597 1472 1414 1528">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="402 1528 597 1619">ExecValueType</td> <td data-bbox="597 1528 1414 1619">A value of type <code>xs:DtsDataTypeEnum</code> that specifies the type of ExecValue if the value of the ForceExecValue attribute is "True".</td> </tr> </tbody> </table>	Attribute	Description	ExecValueType	A value of type <code>xs:DtsDataTypeEnum</code> that specifies the type of ExecValue if the value of the ForceExecValue attribute is "True".
Attribute	Description				
ExecValueType	A value of type <code>xs:DtsDataTypeEnum</code> that specifies the type of ExecValue if the value of the ForceExecValue attribute is "True".				

*Date format: YYYY/MM/DD