

[MS-DTSX2]: Data Transformation Services Package XML Version 2 File Format

This topic lists the Errata found in the MS-DTSX2 document since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.

Errata are subject to the same terms as the Open Specifications documentation referenced.



[RSS](#)



[Atom](#)

Errata below are for Data Portability Document Version [V7.0 – 2019/10/16](#).

| Errata Published* | Description | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|-------------------|-------------|--|------------------------------------|--|--|--|---|-------------------|-------------|-----------|------------------------------------|------|--|----------|---|-------------------|-------------|---------------------|--|
| 2020/04/27 | <p>In section 2.5.1.1.1.6.2, NodelistInnerElementEnumerationTypeEnum, the table of enumeration values was modified.</p> <p>Changed from:</p> <table border="1" data-bbox="479 798 1404 1029"> <thead> <tr> <th>Enumeration value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td></td> <td>Enumerate using an XPathNavigator.</td> </tr> <tr> <td></td> <td>Enumerate nodes that are returned by an XPath operation.</td> </tr> <tr> <td></td> <td>Enumerate text nodes that are returned by an XPath operation.</td> </tr> </tbody> </table> <p>Changed to:</p> <table border="1" data-bbox="479 1134 1404 1365"> <thead> <tr> <th>Enumeration value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Navigator</td> <td>Enumerate using an XPathNavigator.</td> </tr> <tr> <td>Node</td> <td>Enumerate nodes that are returned by an XPath operation.</td> </tr> <tr> <td>NodeText</td> <td>Enumerate text nodes that are returned by an XPath operation.</td> </tr> </tbody> </table> <p>In section 2.8.4.1, Variable Type, the ManagedSerializable enumeration value was defined by adding the following text and table at the end of the section.</p> <p>The following table specifies the enumeration values for the VariableType type.</p> <table border="1" data-bbox="487 1533 1404 1711"> <thead> <tr> <th>Enumeration value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>ManagedSerializable</td> <td>Specifies a managed and serializable object that can be serialized as XML in a DTSX file. This is the only valid value for the DataSubType attribute.</td> </tr> </tbody> </table> | Enumeration value | Description | | Enumerate using an XPathNavigator. | | Enumerate nodes that are returned by an XPath operation. | | Enumerate text nodes that are returned by an XPath operation. | Enumeration value | Description | Navigator | Enumerate using an XPathNavigator. | Node | Enumerate nodes that are returned by an XPath operation. | NodeText | Enumerate text nodes that are returned by an XPath operation. | Enumeration value | Description | ManagedSerializable | Specifies a managed and serializable object that can be serialized as XML in a DTSX file. This is the only valid value for the DataSubType attribute. |
| Enumeration value | Description | | | | | | | | | | | | | | | | | | | | |
| | Enumerate using an XPathNavigator. | | | | | | | | | | | | | | | | | | | | |
| | Enumerate nodes that are returned by an XPath operation. | | | | | | | | | | | | | | | | | | | | |
| | Enumerate text nodes that are returned by an XPath operation. | | | | | | | | | | | | | | | | | | | | |
| Enumeration value | Description | | | | | | | | | | | | | | | | | | | | |
| Navigator | Enumerate using an XPathNavigator. | | | | | | | | | | | | | | | | | | | | |
| Node | Enumerate nodes that are returned by an XPath operation. | | | | | | | | | | | | | | | | | | | | |
| NodeText | Enumerate text nodes that are returned by an XPath operation. | | | | | | | | | | | | | | | | | | | | |
| Enumeration value | Description | | | | | | | | | | | | | | | | | | | | |
| ManagedSerializable | Specifies a managed and serializable object that can be serialized as XML in a DTSX file. This is the only valid value for the DataSubType attribute. | | | | | | | | | | | | | | | | | | | | |

| Errata Published* | Description |
|-------------------|--|
| 2020/04/13 | <p>In section 2.8.4.1, Variable Type, section 5.1.1, DTSX2 Schema for Version 2012/01 (DTSX2 2012/01), and section 5.1.2, DTSX2 Schema for Version 2014/01 (DTSX2 2014/01), the value of the DataSubType attribute was clarified.</p> <p>Changed from:</p> <pre data-bbox="574 436 1224 604"> <xs:attribute name="DataSubType"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="ManagedSerizlizable"/> </xs:restriction> </xs:simpleType> </xs:attribute> </pre> <p>Changed to:</p> <pre data-bbox="574 779 1224 947"> <xs:attribute name="DataSubType"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="ManagedSerializable"/> </xs:restriction> </xs:simpleType> </xs:attribute> </pre> |

*Date format: YYYY/MM/DD