

[MS-DTSX2]: Data Transformation Services Package XML Version 2 File Format

This topic lists the Errata found in the MS-DTSX2 document since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



[RSS](#)



[Atom](#)

Errata are subject to the same terms as the Open Specifications documentation referenced.

Errata below are for Data Portability Document Version [V9.0 – 2021/02/11](#).

Errata Published*	Description
2021/04/19	<p>In section 5.1.1, DTSX2 Schema for Version 2012/01 (DTSX2 2012/01) and section 5.1.2, DTSX2 Schema for Version 2014/01 (DTSX2 2014/01), the schema definitions for the ListStringType type, the AllExecutablePropertyNameEnum type, and the AnyNonPackageExecutablePropertyNameEnum type were removed.</p> <p>Changed from:</p> <pre> . . . <xs:attribute name="DestinationTranslateChar" type="xs:boolean" use="optional" default="false" form="unqualified"/> <xs:attribute name="CopyAllDRIObjects" type="xs:boolean" use="optional" default="false" form="unqualified"/> </xs:complexType> <xs:simpleType name="ListStringType"> <xs:restriction base="xs:string"> <xs:pattern value="[0-9]+,?([0-9]+,.,){0,}" /> </xs:restriction> </xs:simpleType> <xs:simpleType name="TransferSqlServerObjectsTaskExistingDataEnum"> <xs:restriction base="xs:string"> <xs:enumeration value="Replace"/> <xs:enumeration value="Append"/> </xs:restriction> </xs:simpleType> . . . <xs:enumeration value="139"/> <xs:enumeration value="145"/> <xs:enumeration value="146"/> </xs:restriction> </xs:simpleType> <xs:simpleType name="AllExecutablePropertyNameEnum"> <xs:union memberTypes="DTS:BaseExecutablePropertyNameEnum"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="DisableEventHandlers"/> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> <xs:attributeGroup name="AllExecutableAttributeGroup"> <xs:attribute name="DisableEventHandlers" type="DTS:BooleanStringCap" default="False" use="optional" form="qualified"/> </pre>

Errata Published*	Description
	<pre> </xs:attributeGroup> . . . <xs:simpleType name="CheckpointUsageEnum"> <xs:restriction base="xs:int"> <xs:minInclusive value="0"/> <xs:maxInclusive value="2"/> </xs:restriction> </xs:simpleType> <xs:simpleType name="AnyNonPackageExecutablePropertyNameEnum"> <xs:union memberTypes="DTS:AllExecutablePropertyNameEnum"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="ExecutionLocation"/> <xs:enumeration value="ExecutionAddress"/> <xs:enumeration value="TaskContact"/> <!--<xs:enumeration value="SqlStatementSource"/>--> <!--ForLoop uses these values--> <xs:enumeration value="InitExpression"/> <xs:enumeration value="EvalExpression"/> <xs:enumeration value="AssignExpression"/> <!--ForLoop and ForEachLoop use this value--> <xs:enumeration value="MaxConcurrent"/> <!--Sequence uses this value--> <xs:enumeration value="LockName"/> <!--Web Service Task uses this value--> <!--<xs:enumeration value="WsdlFile"/>--> </xs:restriction> </xs:simpleType> </xs:union> </xs:simpleType> <xs:attributeGroup name="AnyNonPackageExecutableAttributeGroup"> <!--Pipeline & Tasks use these attributes--> <xs:attribute name="ExecutionLocation" type="xs:int" default="0" use="optional" form="qualified"/> <xs:attribute name="ExecutionAddress" type="xs:string" default="" use="optional" form="qualified"/> <xs:attribute name="TaskContact" type="xs:string" default="" use="optional" form="qualified"/> . . . Changed to: . . . <xs:attribute name="DestinationTranslateChar" type="xs:boolean" use="optional" default="false" form="unqualified"/> <xs:attribute name="CopyAllDRIObjects" type="xs:boolean" use="optional" default="false" form="unqualified"/> </xs:complexType> <xs:simpleType name="TransferSqlServerObjectsTaskExistingDataEnum"> <xs:restriction base="xs:string"> <xs:enumeration value="Replace"/> <xs:enumeration value="Append"/> </xs:restriction> </xs:simpleType> . . . <xs:enumeration value="139"/> <xs:enumeration value="145"/> <xs:enumeration value="146"/> </pre>

Errata Published*	Description
	<pre> </xs:restriction> </xs:simpleType> <xs:attributeGroup name="AllExecutableAttributeGroup"> <xs:attribute name="DisableEventHandlers" type="DTS:BooleanStringCap" default="False" use="optional" form="qualified"/> </xs:attributeGroup> . . . <xs:simpleType name="CheckpointUsageEnum"> <xs:restriction base="xs:int"> <xs:minInclusive value="0"/> <xs:maxInclusive value="2"/> </xs:restriction> </xs:simpleType> <xs:attributeGroup name="AnyNonPackageExecutableAttributeGroup"> <!--Pipeline & Tasks use these attributes--> <xs:attribute name="ExecutionLocation" type="xs:int" default="0" use="optional" form="qualified"/> <xs:attribute name="ExecutionAddress" type="xs:string" default="" use="optional" form="qualified"/> <xs:attribute name="TaskContact" type="xs:string" default="" use="optional" form="qualified"/> . . . </pre>

*Date format: YYYY/MM/DD