

[MS-SQLRS]:

SQL Server Remote Storage Profile

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation (“this documentation”) for protocols, file formats, data portability, computer languages, and standards support. Additionally, overview documents cover inter-protocol relationships and interactions.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you can make copies of it in order to develop implementations of the technologies that are described in this documentation and can distribute portions of it in your implementations that use these technologies or in your documentation as necessary to properly document the implementation. You can also distribute in your implementation, with or without modification, any schemas, IDLs, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that might cover your implementations of the technologies described in the Open Specifications documentation. Neither this notice nor Microsoft's delivery of this documentation grants any licenses under those patents or any other Microsoft patents. However, a given Open Specifications document might be covered by the Microsoft [Open Specifications Promise](#) or the [Microsoft Community Promise](#). If you would prefer a written license, or if the technologies described in this documentation are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **License Programs.** To see all of the protocols in scope under a specific license program and the associated patents, visit the [Patent Map](#).
- **Trademarks.** The names of companies and products contained in this documentation might be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events that are depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than as specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications documentation does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments, you are free to take advantage of them. Certain Open Specifications documents are intended for use in conjunction with publicly available standards specifications and network programming art and, as such, assume that the reader either is familiar with the aforementioned material or has immediate access to it.

Support. For questions and support, please contact dochelp@microsoft.com.

Revision Summary

Date	Revision History	Revision Class	Comments
8/16/2017	1.0	New	Released new document.

Table of Contents

1	Introduction	4
1.1	Glossary	4
1.2	References	5
1.2.1	Normative References	5
1.2.2	Informative References	5
1.3	Microsoft Implementations	5
1.4	Standards Support Requirements	5
1.5	Notation.....	5
2	Standards Support Statements.....	7
2.1	Normative Variations	7
2.2	Clarifications	7
2.2.1	[MS-SMB2] Server Message Block (SMB) Protocols Version 2 and 3	7
2.2.2	[MS-FSCC] File System Control Codes and [MS-FSA] File System Algorithms	7
2.2.3	[MSDN-IOCTLVGGACC] IOCTL_VOLUME_GET_GPT_ATTRIBUTES control code	8
2.2.4	[MSDN-IOCTLSQPCC] IOCTL_STORAGE_QUERY_PROPERTY_control code	8
2.3	Error Handling	8
2.4	Security	8
3	Change Tracking.....	9
4	Index.....	10

1 Introduction

The SQL Server Remote Storage Profile specifies information regarding the implementation for hosting Microsoft SQL Server databases on Server Message Block (SMB) shares. The files associated with the storage of databases can include data files, transaction log files, and other associated on-disk artifacts. This profile clarifies the level of support that SQL Server requires from SMB servers that host these types of files.

1.1 Glossary

This document uses the following terms:

file system: A system that enables applications to store and retrieve files on storage devices. Files are placed in a hierarchical structure. The file system specifies naming conventions for files and the format for specifying the path to a file in the tree structure. Each file system consists of one or more drivers and DLLs that define the data formats and features of the file system. File systems can exist on the following storage devices: diskettes, hard disks, jukeboxes, removable optical disks, and tape backup units.

file system control (FSCTL): A command issued to a **file system** to alter or query the behavior of the **file system** and/or set or query metadata that is associated with a particular file or with the **file system** itself.

I/O control (IOCTL): A command that is issued to a target file system or target device in order to query or alter the behavior of the target; or to query or alter the data and attributes that are associated with the target or the objects that are exposed by the target.

Resilient File System (ReFS): The Resilient File System is a file system that provides maximum data availability, scalability, and data integrity despite hardware or software failures. ReFS is frequently used together with Storage Spaces.

shadow copy: A duplicate of data held on a **volume** at a well-defined instant in time.

snapshot: The point in time at which a **shadow copy** of a **volume** is made.

sparse file: A file containing large sections of data composed only of zeros. This file is marked as a sparse file in the **file system**, which saves disk space by only allocating as many ranges on disk as are required to completely reconstruct the non-zero data. When an attempt is made to read in the nonallocated portions of the file (also known as holes), the **file system** automatically returns zeros to the caller.

stream: A sequence of bytes written to a file on the target **file system**. Every file stored on a **volume** that uses the file system contains at least one **stream**, which is normally used to store the primary contents of the file. Additional **streams** within the file can be used to store file attributes, application parameters, or other information specific to that file. Every file has a default data **stream**, which is unnamed by default. That data **stream**, and any other data **stream** associated with a file, can optionally be named.

volume: A group of one or more partitions that forms a logical region of storage and the basis for a file system. A **volume** is an area on a storage device that is managed by the file system as a discrete logical storage unit. A partition contains at least one **volume**, and a volume can exist on one or more partitions.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as defined in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

Links to a document in the Microsoft Open Specifications library point to the correct section in the most recently published version of the referenced document. However, because individual documents in the library are not updated at the same time, the section numbers in the documents may not match. You can confirm the correct section numbering by checking the [Errata](#).

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[MS-FSA] Microsoft Corporation, "[File System Algorithms](#)".

[MS-FSCC] Microsoft Corporation, "[File System Control Codes](#)".

[MS-SMB2] Microsoft Corporation, "[Server Message Block \(SMB\) Protocol Versions 2 and 3](#)".

[MSDN-IOCTLSQPCC] Microsoft Corporation, "IOCTL_STORAGE_QUERY_PROPERTY control code", [https://msdn.microsoft.com/en-us/library/windows/desktop/ff800830\(v=vs.85\).aspx](https://msdn.microsoft.com/en-us/library/windows/desktop/ff800830(v=vs.85).aspx)

[MSDN-IOCTLVGGACC] Microsoft Corporation, "IOCTL_VOLUME_GET_GPT_ATTRIBUTES control code", [https://msdn.microsoft.com/en-us/library/windows/desktop/dd627175\(v=vs.85\).aspx](https://msdn.microsoft.com/en-us/library/windows/desktop/dd627175(v=vs.85).aspx)

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

1.2.2 Informative References

None.

1.3 Microsoft Implementations

- Microsoft SQL Server 2016
- Microsoft SQL Server 2017

1.4 Standards Support Requirements

The conformance requirements for [\[MS-SMB2\]](#), [\[MS-FSCC\]](#), [\[MS-FSA\]](#), [\[MSDN-IOCTLVGGACC\]](#), and [\[MSDN-IOCTLSQPCC\]](#) are that all required portions of the specifications are implemented according to the specification, and that any optional portions that are included are also implemented according to the specification.

1.5 Notation

The following notations are used to identify clarifications in section 2.2.

Notation	Explanation
C####	This notation identifies a clarification of ambiguity in the target specification. This includes imprecise statements, omitted information, discrepancies, and errata. This does not include data formatting clarifications.

2 Standards Support Statements

2.1 Normative Variations

None.

2.2 Clarifications

The following subsections identify clarifications relative to [\[MS-SMB2\]](#), [\[MS-FSCC\]](#), [\[MS-FSA\]](#), [\[MSDN-IOCTLVGGACC\]](#), and [\[MSDN-IOCTLSQPCC\]](#).

2.2.1 [MS-SMB2] Server Message Block (SMB) Protocols Version 2 and 3

C0001:

The server MUST support the Server Message Block (SMB) version 2.0 or higher dialect, as described in [\[MS-SMB2\]](#) section [1.7](#).

C0002:

The server MUST support persistent handles.

2.2.2 [MS-FSCC] File System Control Codes and [MS-FSA] File System Algorithms

C0003:

If the server supports the FSCTL_FILESYSTEM_GET_STATISTICS control code, as defined in [\[MS-FSCC\]](#) section [2.3.10](#) and [\[MS-FSA\]](#) section [2.1.5.9.6](#), and if the server responds with a FILESYSTEM_STATISTICS structure, as defined in [\[MS-FSCC\]](#) section [2.3.10.1](#), with a FileSystemType field value of "FILESYSTEM_STATISTICS_TYPE_REFS", SQL Server issues a query on the **stream** to retrieve file system integrity information, as defined in [\[MS-FSCC\]](#) section [2.3.51](#) and [\[MS-FSA\]](#) section [2.1.5.9.9](#).

C0004:

If the server supports the FSCTL_SET_INTEGRITY_INFORMATION control code, as defined in [\[MS-FSCC\]](#) section [2.3.57](#) and [\[MS-FSA\]](#) section [2.1.5.9.28](#), and if the underlying remote **file system** is a **Resilient File System (ReFS)**, support for this **file system control (FSCTL)** code can improve the performance of remote input/output (I/O) operations. This control code is used by SQL Server to identify and disable ReFS integrity streams.

C0005:

If the server supports the FSCTL_GET_INTEGRITY_INFORMATION control code, as defined in [\[MS-FSCC\]](#) section [2.3.51](#) and [\[MS-FSA\]](#) section [2.1.5.9.9](#), and if the underlying file system is a ReFS file system, support for this control code can improve the performance of remote I/O operations. This control code is used by SQL Server to identify and disable ReFS integrity streams.

C0006:

If the server supports the FSCTL_SET_SPARSE control code, as defined in [\[MS-FSCC\]](#) section [2.3.65](#) and [\[MS-FSA\]](#) section [2.1.5.9.33](#), and if the SMB remote share is used to host SQL Server data files, core SQL Server engine features, such as database **snapshots** and online database consistency checks, use **sparse files** to reduce the amount of disk space that is required to store copy-on-write snapshots of SQL Server data.

If the remote file system does not support this control code, database snapshots and online database consistency checks fail.

2.2.3 [MSDN-IOCTLVGGACC] IOCTL_VOLUME_GET_GPT_ATTRIBUTES control code

C0007:

If the server supports the IOCTL_VOLUME_GET_GPT_ATTRIBUTES control code, as defined in [\[MSDN-IOCTLVGGACC\]](#), SQL Server can query properties of the **volume** that are underlying the remote file share. This query can occur even if the volume is a **shadow copy**, such as a volume snapshot, or is read-only.

If the server does not support this **I/O control (IOCTL)** code, SQL Server is unable to detect these properties and some operations could fail or behave unexpectedly.

2.2.4 [MSDN-IOCTLSQPCC] IOCTL_STORAGE_QUERY_PROPERTY_control code

C0008:

If the server supports the IOCTL_STORAGE_QUERY_PROPERTY control code, as defined in [\[MSDN-IOCTLSQPCC\]](#), with the **StorageAccessAlignmentProperty** property ID, SQL Server can identify the physical sector size of any device that is underlying the SQL Server database and transaction log files and, by extension, the required alignment of SQL Server I/O requests.

If the server does not support this control code, SQL Server cannot correctly identify the physical sector size and could suffer performance degradations due to read-modify-write operations.

2.3 Error Handling

None.

2.4 Security

None.

3 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

4 Index

C

[Change tracking](#) 9

G

[Glossary](#) 4

I

[Informative references](#) 5

[Introduction](#) 4

N

[Normative references](#) 5

R

References

[informative](#) 5

[normative](#) 5

T

[Tracking changes](#) 9